

BAILEY *SPECIALTY CRANES & AERIALS*



TELEHANDLER



FORKLIFT



MAN LIFT

THE TM ***BRANDON 6***

THE WORLD'S MOST VERSATILE LIFTING MACHINE

Hoist Capacity: 6000 lbs

Fork Capacity: 2500 lbs.

Glazier Capacity: 1100 lbs.

Jib or Panel Capacity: 1000 lbs

Winch Capacity: 3000 lbs

Power: 24Volt 7HP Electric Motor.

Boom: Base unit, 2 telescoping booms and one manual pull-out boom. Attachments replace pull-out boom.

Steering: Rear Wheel

Drive: 2 Wheel Drive and Braking

Weight: 5500 Lbs + Attachment

Rated Load Limiter: Displays rated load and actual load. Stops when overload is reached.

Detects attachment and adjusts load parameters.


Charger: On-board 110V

Optional: "EE" Class I, Division 2 Certification

WALKIE HANDLE OR RADIO CONTROLS




HOIST TRUCK




COMPACT DESIGN

MODEL 7.2N




34.5" WIDE SINGLE DOOR ACCESS

FORKLIFT



5 FOOT LUFFING JIB




** MULTIPLE PATENTS PENDING **

S81W18561 GEMINI DRIVE MUSKEGO, WI 53150 414-446-8412 WW.BAILEYCRANES.COM


ENGINEERING THE FUTURE OF LIFT EQUIPMENT

Courtesy of Crane.Market

MAN LIFT



HOIST WINCH



HYDRAULIC WINCH

- ✓ 3000 Lb Capacity - Single Line
- ✓ 100 Feet of Line
- ✓ Simple Installation
- ✓ Construction Ready


OPTIONAL STABILIZERS




RATED LOAD LIMITER



AUTOMATICALLY DETECTS ATTACHMENT
AND ADJUSTS LOADING PARAMETERS



- ✓ **Dual Vacuum System**
- ✓ **6 - 11" (28mm) Pads**
- ✓ **12 Volt System**
- ✓ **Many Configurations**



THE TOOL CAROUSEL - Packaging The Common Attachments

◆ **MAN BASKET** ◆ **MATERIALS BUCKET** ◆ **LUFFING JIB** ◆ **FORKS**

✓ **ROTATES FOR EASY ACCESS**

✓ **EASE OF TRANSPORTATION**

✓ **SMALL FOOT PRINT**

✓ **CONSTRUCTION READY**



S81W18561 GEMINI DRIVE MUSKEGO, WI 53150 414-446-8412 WW.BAILEYCRANES.COM

ENGINEERING THE FUTURE OF LIFT EQUIPMENT

Courtesy of CraneMarket