



Mini crawler crane KB5.0


Zhengzhou Kebu Technology Co.,Ltd is the manufacturer of mini crawler crane in China. Its main product is mini crane KB3.0 , and this model KB5.0 with longer boom, can reach higher, lift heavier. It is a supplement to the Kb3.0. With good quality, hope we can have a cooperation.

Specifications:






Dimensions:



Working Range Diagram:





Lifting Table

4.74/7.70 Boom		10.65 Boom		13.56 Boom		16.50 Boom	
Working radius (m)	Total rated load (t)	Working radius (m)	Total rated load (t)	Working radius (m)	Total rated load (t)	Working radius (m)	Total rated load (t)
<2.0	5.00	<3.5	3.03	<4	2.23	<5	1.13
2.5	4.16	4	2.58	4.5	1.93	5.5	0.98
3	3.46	5	2.03	5	1.73	6	0.91
3.5	3.05	6	1.68	6	1.40	7	0.76
4	2.60	7	1.38	7	1.18	8	0.65
5	2.08	8	1.13	8	1.03	9	0.60
6	1.72	9	1.05	9	0.93	10	0.55
7.18	1.45	10	0.86	10	0.83	11	0.49
				11	0.69	12	0.44
				12	0.53	13	0.38
				13	0.43	14	0.32
						15	0.26
						16	0.21

Parameter list:





Mini crawler crane KB5.0

Capacity	Maximum	5.00t×2.5m	Gasoline Engine Model	No	
Working Radius	Maximum	16mx0.21T			
Lifting Height	Maximum	16.8m			
Dimensions	KB5.0	4950mm × 1560mm × 2235mm			
Weight	Total	6500Kg			
Hook Speed	Maximum	8-16m/min (4 Times)			
Hoist Rope	Type	Φ8mm×100m			
Telescopic System	Boom length	16.475 m			
	Telescopic speed	11.7m / 54 sec			
	Boom Type	Full automatic 5 section			
Boom Hoist System	Hoist angle / speed	0° -80° /24.5 sec	Diesel Engine Model	Model	YC2105
Slew System	Slew angle/speed	360° continuous/2.1rpm		Displacement	2.078L
Outrigger System	Type	manual adjustment for the 1 section Automatic for the 2,3 section		Maximum Output	6.6KW
	Maximum extended dimensions	5431mm×5298mm		Starting method	Electric starting
Traction System	Drive	Hydraulic motor driven, stepless speed changer		Fuel	Diesel
	Travel speed	0-3.3Km/h		Fuel Tank Capacity	42L
	Ground length×width	1720mm×320mm		Operating Temperature	0° C~40° C
	Grade ability	20°		Battery Capacity	12V 36Ah
	Ground pressure	49.0Kpa	Electric Motor	Three-phase AC asynchronous motor	4KW (380V, 50HZ)
Hydraulic fuel tank capacity	Maximum	120L	Remote Control	Wireless	BOX1.1
Safety Devices	Air level, Moment limiter (Height limiter), Alarm Device, Emergency Stop Button				






Pictures:





Mini crawler crane KB5.0



Certifications



Mini crawler crane KB5.0



Mini crawler crane KB5.0

Contact information:

Mr Hui, (sales manager)

Phone number: [86+18838011140](tel:86+18838011140)

E-mail: spidercrane@163.com

Skype: [kbcrane2](#)

Address: [Zhengzhou Hi-tech Industrial Zone, Henan province, China.](#)



Mini crawler crane KB5.0