


Curvas de cargas - Load diagrams - Lastkurven - Courbes de charges - Curve di carico - График грузоподъёмности



- ① Pluma maxima - Portée maxi - Sbraccio massimo - Maximum jib - Max. Ausleger
- ② Pluma min. en servicio - Portée min. in service - Minimum jib (in service) - Sbraccio min. In servizio - Mindst. Ausleger in Betrieb
- ③ Pluma min. fuera de servicio - Portée min. hors service - Minimum jib (out of service) - Sbraccio min. fuori servizio - Mindst. Ausleger ausser Betrieb
- H Altura torre - Hauteur mat - Tower height - Altezza torre - Turmhohe

Curvas de cargas - Load diagrams - Lastkurven - Courbes de charges - Curve di carico - График грузоподъёмности

65 m



10	15	20	25	30	33,6	35	40	45	50	55	60	65	m	
24000	24000	24000	24000	24000	24000	22683	18549	15352	12805	10726	8995	7500	Kg	
10	15	20	22	25	30	35	40	45	50	55	60	65	m	
36000	36000	36000	36000	36000	28139	22583	18449	15252	12705	10626	8895	7400	Kg	

60 m



10	15	20	25	30	33,3	35	40	45	50	55	60	m	
24000	24000	24000	24000	24000	24000	22445	18412	15293	12806	10776	9000	Kg	
10	15	20	24,7	25	30	35	40	45	50	55	60	m	
36000	36000	36000	36000	35439	27764	22345	18312	15193	12706	10676	8900	Kg	

55 m



10	15	20	25	30	33,5	35	40	45	50	55	m	
24000	24000	24000	24000	24000	24000	22658	18685	15612	13160	11000	Kg	
10	15	20	24,7	25	30	35	40	45	50	55	m	
36000	36000	36000	36000	35457	27897	22558	18585	15512	13060	10900	Kg	

50 m



10	15	20	25	30	33,6	35	40	45	50	m	
24000	24000	24000	24000	24000	24000	22762	18830	15786	13100	Kg	
10	15	20	24,6	25	30	35	40	45	50	m	
36000	36000	36000	36000	35427	27946	22662	18730	15686	13000	Kg	

45 m



10	15	20	25	30	33,1	35	40	45	m	
24000	24000	24000	24000	24000	24000	22280	18456	15100	Kg	
10	15	20	24,3	25	30	35	40	45	m	
36000	36000	36000	36000	34773	27471	22312	18471	15100	Kg	

40 m



10	15	20	25	30	31,3	35	40	m	
24000	24000	24000	24000	24000	24000	20644	16500	Kg	
10	15	20	22,9	25	30	35	40	m	
36000	36000	36000	36000	32301	25481	20661	16500	Kg	

35 m



10	15	18	25	30	32,9	35	m	
24000	24000	24000	24000	24000	24000	21200	Kg	
10	15	20	24	25	30	35	m	
36000	36000	36000	36000	34232	27132	21200	Kg	

30 m



10	15	18	25	25	30	m	
24000	24000	24000	24000	24000	24000	Kg	
10	15	20	23,8	25	30	m	
36000	36000	36000	36000	33941	25500	Kg	

Mecanismos - Mechanisms - Antriebe - Mécanismes - Meccanismi - Приводы

167Hp (123Kw) - INV LEBUS 780m							
		H.B.G. 390m Ø26			H.B.G. 260m Ø26		
	m/min	0—26	0—52	0—124	0—18	0—34	0—83
	Kg	24000	10000	3450	36000	15000	5200
	Kw	123	123	123	123	123	123

		
		2,3 min. de 15° a 85° 2,3 minutes from 15° to 85°
	Kw	93
	r.p.m	0—0,72
	Kw	2 x 21,1
	m/min	(i)
	Kw	(i)

		400 V 50 Hz 60 Hz	100m 4x120mm ²
2000/14/CEE 2005/88/CEE	2006/95 /CEE		


550 kVA	250 KW
---------	--------

(i) Consultarnos-Consultateci-Consult us-Nous consulter-Auf anfrage


-  Elevación / Hoisting / Heben / Levage / Sollevamento
-  Elevación de pluma / Luffing / Ausleger-Einziehen / Relevage / Brandeggio
-  Orientación / Slewing / Schwenken / Orientation / Rotazione
-  Traslacion / Travelling / Schienenfahren / Translation / Traslazione
-  Cable / Rope / Seil / Câble / Fune

FEM 1005 / EN 14439 - Mástil - Masts - Maste - Mat - Torre - Комплектация башни


U = S2326 16/16 M52L



A



B




C

(m)	max. H(m)	
	FEM 1005 C25	FEM 1001
30	54,40	60,40
35	54,40	60,40
40	54,40	60,40
45	48,40	54,40
50	48,40	54,40
55	48,40	54,40
60	42,40	48,40
65	42,40	48,40


(m)	max. H(m)	
	FEM 1005 C25	FEM 1001
30	56,00	62,00
35	56,00	62,00
40	50,00	56,00
45	50,00	56,00
50	50,00	56,00
55	44,00	50,00
60	44,00	50,00
65	44,00	44,00

(m)	max. H(m)	
	FEM 1005 C25	FEM 1001
30	56,10	62,10
35	56,10	62,10
40	50,10	56,10
45	50,10	56,10
50	50,10	56,10
55	44,10	50,10
60	44,10	50,10
65	44,10	44,10


U = S2326 16/16 M52L
Z = S2330 16/24 M52L
ZR = S2330R 24/24 M52L



A



B



C


(m)	max. H(m)	
	FEM 1005 C25	FEM 1001
30	66,40	72,40
35	66,40	72,40
40	66,40	72,40
45	60,40	66,40
50	60,40	66,40
55	60,40	66,40
60	54,40	60,40
65	54,40	60,40

(m)	max. H(m)	
	FEM 1005 C25	FEM 1001
30	68,00	74,00
35	68,00	74,00
40	62,00	68,00
45	62,00	68,00
50	62,00	68,00
55	56,00	62,00
60	56,00	62,00
65	56,00	56,00

(m)	max. H(m)	
	FEM 1005 C25	FEM 1001
30	68,10	74,10
35	68,10	74,10
40	62,10	68,10
45	62,10	68,10
50	62,10	68,10
55	56,10	62,10
60	56,10	62,10
65	56,10	56,10


Proceso de trepado - Climbing - Kletterkrane - Telescopable - Sopralzo idraulico - Процесс наращивания крана

TREPADO EXTERNO / EXTERNAL CLIMBING / GEANKERTER KRAN /
GRUE ANDRÉE / GRU ANCORATA / ВОСХОЖДЕНИЕ ЭКСТЕРНО



"U" S 2326			
	D1 min/max	D2 min/max	D3 max
30m	36m/48m	18m/24m	36
35m	36m/48m	18m/24m	36
40m	36m/48m	18m/24m	36
45m	30m/42m	18m/24m	30
50m	30m/42m	18m/24m	30
55m	30m/42m	18m/24m	30
60m	36m/36m	18m/24m	24
65m	36m/36m	18m/24m	24

TREPADO INTERNO / BOTTOM CLIMBING CRANE / KLETTERKRANE IM GEBÄUDE / TÉLESCOPAGE SUR DALLES /
GRU CLIMBING / ВНУТРЕННИЙ ПРОЦЕСС ТЕЛЕСКОПИРОВАНИЯ
















	C (m)	H (m)
30m 35m 40m	14	48
	16	
	18	
	21	
45m	14	42
	16	
	18	
	21	
50m 55m 60m 65m	14	42
	16	
	18	
	21	






X (m)	3
Y (m)	2,5





ⓘ Consultarnos - Consultateci - Consult us - Nous consulter - Auf anfrage -
Другие высоты подъема и наращивание крана по запросу

Dimensiones y transporte - dimensions and transport - Abmessungen und Transport - dimensions et des transports - dimensioni e trasporti - Размеры и транспорта

	L(m)	W(m)	H(m)	Peso(Kg)
Pluma tramo primero / Jib heel section / Ausleger-Anlenkstück / Pied de fleche / Settore articolato di braccio / Корневая секция стрелы 	10,4	2,17	2,16	5100
Elemento intermedio de pluma / Intermediate jib section / Ausleger-Zwischenstück / Élément interm. de fleche / Spezzone di braccio / Промежуточная секция стрелы N° 2 	10,37	2,12	2,16	2600
Elemento intermedio de pluma / Intermediate jib section / Ausleger-Zwischenstück / Élément interm. de fleche / Spezzone di braccio / Промежуточная секция стрелы N° 3 	10,37	2,12	2,16	2410
Elemento intermedio de pluma / Intermediate jib section / Ausleger-Zwischenstück / Élément interm. de fleche / Spezzone di braccio / Промежуточная секция стрелы N° 4 	10,37	2,12	2,16	2215
Elemento intermedio de pluma / Intermediate jib section / Ausleger-Zwischenstück / Élément interm. de fleche / Spezzone di braccio / Промежуточная секция стрелы N° 5 	10,37	2,12	2,16	2125
Elemento intermedio de pluma / Intermediate jib section / Ausleger-Zwischenstück / Élément interm. de fleche / Spezzone di braccio / Промежуточная секция стрелы N° 6 	5,27	2,12	2,16	1025
Elemento intermedio de pluma / Intermediate jib section / Ausleger-Zwischenstück / Élément interm. de fleche / Spezzone di braccio / Промежуточная секция стрелы N° 7 	5,27	2,12	2,16	1025
Elemento final de pluma / Intermediate jib section / Ausleger-Zwischenstück / Élément interm. de fleche / Spezzone di braccio / Промежуточная секция стрелы N° 8 	5,31	2,12	2,16	1310

	L(m)	W(m)	H(m)	Peso(Kg)
Contrapluma / Counter-jib / Gegenausleger / Contre-fleche / Controbraccio / Консоль противовеса 	8,00	2,40	2,30	6315
Unidad de rotacion / Complete slewing unit / Drehbühne / Orientation / Rotazione / Оголовок башни 	7,30	4,84	4,40	18195
Giratorio / Slewing / Drehbühne / Plateforme tournante / Cavalletto piattaforma girevole / поворотная платформа 	3,1	2,32	4,40	11950
Caballete / Frame / Bock / Chevalet / Cavalletto / Cavalete / Кронштейн 	2,4	2,3	2,8	3210
Plataforma de giro / Slewing platform / Drehbühne / Plateforme tournante / Cavalletto piattaforma girevole / поворотная платформа 	3,1	2,32	1,99	8740
Cabina y soporte / Cabin and platform / Kabine und wartungs / Cabine et support / Cabina e supporto / Кабина с основой 	7,59	1,82	2,32	3035

	L(m)	W(m)	H(m)	Peso(Kg)	
Caballette de pluma / Jib gantry / Auslegerabspannbock / Chevalet de haubange de flèche / Tirante braccio / портал стрелы 	16,8	2,12	1,91	9420	
Equipo de elevacion / Hoist winch / Heben / Levage / Sollevamento / подъёмник 	2,8	2,25	1,61	5950	
Equipo de Pluma abatible / Luffing winch / Einziehwerk / Relevage / Brandeggio / Стрелоподъемный механизм 	2,8	2,21	1,60	4850	
Gancho Inferior / Lower Hook / Den unteren Haken / Crochet inférieure/ Gancio inferiore / Нижний крюк 	1,70	0,51	1,52	649	
Gancho Superior / Upper Hook / Oberen Haken / Crochet supérieur / Gancio superiore / Верхний крюк 	1,17	0,31	0,86	550	
Elemento de torre S23 / Tower section S23 / Turmstück S23 / Élément de mât S23 / Elemento di torre S23 / Башенные секции S23 	U Z ZR	6 6 6	2,31 2,31 2,31	6198 7782 8022	
Elemento de empotre / Foundation anchor / Fundamentanker / Pieds de scellement El anpegare / Анкерные крепления 	S75R16/30 S75R16/22 S75R16/26 DIMA	0,5 0,5 0,5 2,31	0,5 0,5 0,5 2,34	2 2 2,4 0,8	2972 2840 3160 1650
Marco trepado externo / Tie-frame / Cadre d’encrage externe / Sopralzo con ancoraggio esterno / внешняя рамка пристежки 	3,52	3,49	0,42	3900	


	L(m)	W(m)	H(m)	Peso(Kg)
Jaula de telescopaje tipo S23 / Climbing cage type S23 / Hydraulikbühne S23 / Cage de telescopage type S23 / Gabbia di montaggio S23 / Монтажная обойма S23				
Completa / Full / Vollständige / Complete / completa / полный 	11,6	3,2	3,3	13500
Estructura / Steel frame / Struktur / Construction / Struttura / структура				9550
Hidraulico y accesorios / Hydraulic and accessories / Hydraulik-und Zubehör / hydraulique et accessoires / idrauliche ed accessori / Гидравлические и аксессуары				3950
Marco trepado externo / Tie-frame / Cadre d'encrage externe / Sopralzo con ancoraggio esterno / внешняя рамка пристежки 				
	3,52	3,49	0,42	3900
Marco trepado interno S23 / Floor climbing frame S23 / Cadre d'encrage interne S23 / Sopralzo interno S23 / внутренняя рамка пристежки S23 				
	3,2	2,8	0,6	4720
Hidraulico y accesorios / Hydraulic and accessories / Hydraulik-und Zubehör / hydraulique et accessoires / idrauliche ed accessori / Гидравлические и аксессуары				3081
Tramo trep. A S23 / Tower section A S23 / Turmstück A S23 / Élément de mât A S23 / Elemento di torre a S23 / Башенные секции A S23 				
	A 6	2,27	2,29	4854
Tramo trep. B S23 / Tower section B S23 / Turmstück B S23 / Élément de mât B S23 / Elemento di torre B S23 / Башенные секции B S23 				
	B 6	2,27	2,29	4850



40" HC x 14 - HBG 36 mt



x 14 - HBG 36 mt



Specifications subject to modification without notice.
Obiges kann ohne berstaendigung geaendert werden.
Specifications susceptibles de modification sans avis préalable.
Specifiche suscettibili di variazioni senza preavviso.

**This information is supplied without liability.
Sämtliche Angaben erfolgen ohne Gewähr.
Ces renseignements sont sans garantie.
Le indicazioni contenute si intendono salvo errori ed omissioni.**