




97dB



Curvas de cargas - Load diagrams - Lastkurven - Courbes de charges - Curve di carico - График грузоподъёмности



- ① Pluma maxima - Portée maxi - Sbraccio massimo - Maximum jib - Max. Ausleger
- ② Pluma min. en servicio - Portée min. in service - Minimum jib (in service) - Sbraccio min. in servizio - Mindest. Ausleger in Betrieb
- ③ Pluma min. fuera de servicio - Portée min. hors service - Minimum jib (out of service) - Sbraccio min. fuori servizio - Mindest. Ausleger ausser Betrieb
- (H) Altura torre - Hauteur mat - Tower height - Altezza torre - Turmhohe

60 m	10	15	20	25	29.9	30	35	40	45	50	55	60	m	
	8000	8000	8000	8000	8000	7960	6240	4960	3970	3180	2540	2000	Kg	
	10	15	20	25	28.9	30	35	40	45	50	55	60	m	
	8000	8000	8000	8000	8000	7550	5890	4660	3700	2940	2320	1800	Kg	
55 m	10	15	20	25	21.4	25	30	35	40	45	50	55	m	
	12000	12000	12000	12000	9810	7250	5590	4360	3400	2640	2020	1500	Kg	
	10	15	20	25	30	31.5	35	40	45	50	55	60	m	
	8000	8000	8000	8000	8000	8000	6840	5520	4500	3690	3000	2400	Kg	
50 m	10	15	20	25	30	30.6	35	40	45	50	55	60	m	
	8000	8000	8000	8000	8000	8000	6520	5240	4250	3460	2800	2200	Kg	
	10	15	20	22.5	25	30	35	40	45	50	55	60	m	
	12000	12000	12000	12000	10390	7950	6220	4940	3950	3160	2500	2000	Kg	
45 m	10	15	20	25	30	31.6	35	40	45	50	55	60	m	
	8000	8000	8000	8000	8000	8000	6880	5560	4550	3700	3000	2400	Kg	
	10	15	20	25	30	30.8	35	40	45	50	55	60	m	
	8000	8000	8000	8000	8000	8000	6580	5310	4320	3500	2800	2200	Kg	
40 m	10	15	20	22.6	25	30	35	40	45	50	55	60	m	
	12000	12000	12000	12000	10440	8010	6290	5010	4020	3200	2500	2000	Kg	
	10	15	18.2	20	25	30	35	40	45	50	55	60	m	
	16000	16000	16000	14160	10440	8010	6290	5010	4020	3200	2500	2000	Kg	
35 m	10	15	20	25	30	33.4	35	40	45	50	55	60	m	
	8000	8000	8000	8000	8000	8000	7470	6120	5000	4000	3200	2500	Kg	
	10	15	20	25	30	32.6	35	40	45	50	55	60	m	
	8000	8000	8000	8000	8000	8000	7210	5890	4800	3800	3000	2400	Kg	
30 m	10	15	20	23.8	25	30	35	40	45	50	55	60	m	
	12000	12000	12000	12000	11220	8700	6910	5590	4500	3600	2800	2200	Kg	
	10	15	19.1	20	25	30	35	40	45	50	55	60	m	
	16000	16000	16000	15680	11220	8700	6910	5590	4500	3600	2800	2200	Kg	

Mecanismos - Mechanisms - Antriebe - Mécanismes - Meccanismi - Приводы

90 Hp (67Kw)-INV						
	H.B. G 344Mts Ø16			H.B. G 230Mts Ø16		
	m/min	0—39.8	0—120	0—159	0—26.5	0—80
	Kg	8000	2300	1450	12000	3450
	H.B. G 172Mts Ø16			H.B. G 172Mts Ø16		
	m/min	0—19.9	0—60	0—79	0—19.9	0—60
	Kg	16000	4600	2900	16000	4600
	Kw	67	67	67	67	67


	1.7 min. de 15° a 85° 1.7 minutes from 15° to 85°	
	Kw	67
	r.p.m	0—0.72
	Kw	2 x 10.8

2000/14/CEE 2006/95/CEE	2006/95 /CEE	400 V 50 Hz 60 Hz	100m 4x95mm ²
----------------------------	-----------------	-------------------------	-----------------------------


450 KVA	150 KW
---------	--------

- Elevación / Hoisting / Heben / Levage / Sollevamento
- Elevación de pluma / Luffing / Ausleger-Einziehen / Releage / Brandeggio
- Orientación / Slewing / Schwenken / Orientation / Rotazione
- Traslación / Travelling / Schienenfahren / Translation / Traslazione
- Cable / Rope / Seil / Câble / Fune

FEM 1001 / FEM 1004-C25 / EN 14439 - Mástil / Masts / Maste / Mat / Torre / Torre /
Комплектация башни















Proceso de trepado - Climbing - Kletterkrane - Telescopable - Sopralzo idraulico - Процесс наращивания крана










Consultarnos-Consultateci-Consult us-Nous consulter-Auf anfrage

Dimensiones y transporte - dimensions and transport - Abmessungen und Transport - dimensions et des transports - dimensioni e trasporti - Размеры и транспорта





	L(m)	W(m)	H(m)	Peso(Kg)
Pluma tramo primero / Jib heel section / Ausleger-Anlenkstück / Pied de fleche / Settore articolato di braccio / Корневая секция стрелы 	10.4	1.77	1.76	2260
Elemento intermedio de pluma / Intermediate jib section / Ausleger-Zwischenstück / Élément interm. de fleche / Spezzone di braccio / Промежуточная секция стрелы 	10.37	1.72	1.76	1325
Elemento intermedio de pluma / Intermediate jib section / Ausleger-Zwischenstück / Élément interm. de fleche / Spezzone di braccio / Промежуточная секция стрелы 	10.37	1.72	1.76	1210
Elemento intermedio de pluma / Intermediate jib section / Ausleger-Zwischenstück / Élément interm. de fleche / Spezzone di braccio / Промежуточная секция стрелы 	10.37	1.72	1.76	1045
Elemento intermedio de pluma / Intermediate jib section / Ausleger-Zwischenstück / Élément interm. de fleche / Spezzone di braccio / Промежуточная секция стрелы 	10.37	1.72	1.76	1080
Elemento intermedio de pluma / Intermediate jib section / Ausleger-Zwischenstück / Élément interm. de fleche / Spezzone di braccio / Промежуточная секция стрелы 	5.27	1.72	1.76	600
Elemento final de pluma / Intermediate jib section / Ausleger-Zwischenstück / Élément interm. de fleche / Spezzone di braccio / Промежуточная секция стрелы 	5.31	1.72	1.76	825
Contrapluma / Counter-jib / Gegenausleger / Contre-fleche / Controbraccio / Консоль противовеса 	6.55	2.10	2.00	6135
Unidad de rotacion / Complete slewing unit / Drehbühne / Orientation / Rotazione / Оголовок башни 	4.60	4.84	3.34	13500

	L(m)	W(m)	H(m)	Peso(Kg)	
Cabina y soporte / Cabin and platform / Kabine und wartungs / Cabine et support / Cabina e supporto / Кабина с основой 	4.59	1.82	2.32	1835	
Caballete de pluma / Jib gantry / Auslegerabspannbock / Chevalet de haubange de flèche/ Tirante braccio / портал стрелы  	1.24	1.92	2.02	5500	
Equipo de elevacion / Hoist winch / Heben / Levage / Sollevamento / подъёмник 	2.4	2.2	2.4	3250	
Equipo de Pluma abatible / Luffing winch / Einziehwerk / Relevage / Brandeggio / Стрелоподъемный механизм 	2.72	2.04	2.28	3500	
Gancho Inferior / Lower Hook / Den unteren Haken / Crochet inférieure/ Gancio inferiore / Нижний крюк 	1.23	0.48	1.19	425	
Gancho Superior / Upper Hook / Oberen Haken / Crochet supérieur / Gancio superiore/ Верхний крюк 	0.60	0.17	0.86	238	
Elemento de torre S23 / Tower section S23 / Turmstück S23 / Élément de mât S23 / Elemento di torre S23 / Башенные секции 	T 6 U 6	6 6	2.27 2.31	2.29 2.34	4650 6198
Elemento de empotre / Foundation anchor / Fundamentanker / Pieds de scellement El annegare / Анкерные крепления 	S75R16/22 S75R16/26 DIMA	0.5 0.5 2.31	0.5 0.5 2.34	2 2.4 0.8	2840 3160 1650

		L(m)	W(m)	H(m)	Peso(Kg)
Base C60T / Crossbase C60T / Fundamentkreuz C60T / Châsis C60T / Carro base C60T					
		9	0.72	0.83	2604
		4.38	0.67	0.83	930
		5.38	0.28	0.28	560
		6	2.27	2.29	5900
		0.65	0.65	0.45	315
Bloque lastre de base C60T / Base ballast block / Grundballastblöcke / Bloc de lest de base Blocco di zavorra alla base / Плиты балласта опорной рамы					
A		5.8	1.5	0.43	8000
B		4	1.5	0.43	4900
C		3.5	1.5	0.43	4200
Base C80T / Crossbase C80T / Fundamentkreuz C80T / Châsis C80T / Carro base C80T					
		5.9	1.8	2.5	2980
		5.24	1.8	2.5	2590
		5.9	0.27	0.29	972
		3.17	0.11	0.29	116
Bloque lastre de base C80T / Base ballast block / Grundballastblöcke / Bloc de lest de base Blocco di zavorra alla base Плиты балласта опорной рамы					
		1.94	2	0.35	3000
Traslacion / Travelling bogies / Kranfahren / Traslation / Traslazione					
		2.94	1.25	0.97	3102



SL 240

		L(m)	W(m)	H(m)	Peso(Kg)	
Marco trepado externo / Tie-frame / Cadre d'encrage externe / Sopralzo con ancoraggio esterno / ВНЕШНЯЯ РАМКА ПРИСТЕЖКИ 		3.52	3.49	0.42	3900	
Jaula de telescopaje tipo S23 / Climbing cage type S23 / Hydraulikbühne Cage de telescopage type S23 / Gabbia di montaggio S23 / Монтажная обойма Completa / Full / Vollständige/Complete / completa / полный 		11.6	3.2	3.3	13500	
Estructura / Steel frame / Struktur/ Construction / Struttura / структура					9550	
Hidraulico y accesorios / Hydraulic and accessories/ Hydraulik-und Zubehör hydraulique et accessoires / idrauliche ed accessori / Гидравлические и аксессуары					3950	
Marco trepado interno S23 / Floor climbing frame/Cadre d'encrage interne / Sopralzo interno ВНУТРЕННЯЯ РАМКА ПРИСТЕЖКИ 		3.2	2.8	0.6	4720	
Hidraulico y accesorios / Hydraulic and accessories/ Hydraulik-und Zubehör hydraulique et accessoires / idrauliche ed accessori / Гидравлические и аксессуары					3081	
Tramo trep. A S23 / Tower section A S23 / Turmstück A S23 / Élément de mât A S23 / Elemento di torre a S23 / Башенные секции 		A	6	2.27	2.29	4854
Tramo trep. B S23 / Tower section B S23 / Turmstück B S23 / Élément de mât B S23 / Elemento di torre B S23 / Башенные секции 		B	6	2.27	2.29	4850



40" HC x 9 - HBG 30 mt



x 8 - HBG 30 mt



DECLINAMOS TODA RESPONSABILIDAD DERIVADA DE LA INFORMACION PROPORCIONADA.
 This information is supplied without liability.
 Sämtliche Angaben erfolgen ohne Gewähr.
 Ces renseignements sont sans garantie.
 Le indicazioni contenute si intendono salvo errori ed omissioni.

ESPECIFICACIONES SUJETAS A MODIFICACIONES SIN PREVIO AVISO.
 Specifications subject to modification without notice.
 Obiges kann ohne berstaendigung geaendert werden.
 Specifications susceptibles de modification sans avis préalable.
 Specifiche suscettibili di variazioni senza preavviso

MANUFACTURER:

GRUAS SÁEZ, S.L.
 Ctra. de Beniaján, Km. 5
 30570 Beniaján (Murcia) Spain
 Tel. (+34) 968 10 28 84

info@gruassaez.com
 www.gruassaez.com