


we are d



Rigid chassis with the rear axle mounted on top of the frame, to minimised loading on rear axle mounting.



Modular tool box as standard feature.



Rigid and rounded box structure for dead axle.



Re-enforced robust Goose neck for heavy duty application.



Re-enforced heavy bumper with an aesthetic look.



Minimum Turning Radius for Maneuverability.

After stringent research, keeping the practical needs in mind, we are introducing some special features which differs from others.



New look counter weight for better stability




All weather cabin with three additional seats for helpers / Slingers



All Swivel Hooks complying to Indian standards



Self compensating rope arrangement for winch.



MEGA PC 16000

Main Frame

Heavy duty all welded rigid construction box-type with bent section having less weld joints, gives higher structural strength.

Boom

Two section box type telescopic boom made of two U sections welded together close to neutral axis.

Hydraulic System

Main pump of intra-vane type driven from engine crankshaft pulley through propeller shaft. Control Valve :4 spool double acting with built in relief valve. Hydraulic Filter - 25µ on return line.

Boom Derricking

Two double acting jacks designed for sustaining all operating and shock loads.

Steering

Articulated steering through double acting hydraulic jacks of 880 mm stroke.

Boom Telescope

Two part / Three part / Four part boom with hydraulically operated extension jack

Hoist Mechanism

Driven by hydraulic motor employing 4 falls of 13 mm dia wire rope. Line speed 24m per minute.

Mahindra 4-cylinder @2100 rpm inline water cooled, diesel engine.

Transmission

Heavy duty sliding mesh with 8 forward and 2 reverse speeds with high and low range selector with original gearbox fitted.

Clutch

11" single, dry motion heavy duty clutch plate

Brake

Service brake-pneumatically assisted hydraulic brake on Front wheel, mechanical disc brake actuated through hydraulic slave cylinders on rear Wheels. Parking Brake - Hand operated Parking Brake on Rear wheels.

Wheels

Front Tyre - 11.00 x 20 - 16 PR - 4 nos. Rear Tyre -- 14.00 x 25 - 20 PR - 2 nos.

Top Speed

Max.32Kmph unladen on even metalled road

Vehicle weight

Total gross weight - 11470 kgs

Track

Front - 2490mm - 2000mm Rear

Electrical System

Battery 12Volt 100Ah Alternator 12Volt 36Amp.

Re-fill Capacities

Air Cleaner - 0.75 litres - 7.5 litres Engine Oil Fuel Tank - 60 litres Hydraulic Oil Reservoir - 100 litres Transmission oil - 38 litres

Operation Timing

Steering - 9 sec.(Lock to Lock)

Derricking in - 17 sec. Derricking out - 20 sec. - 10 to 12 sec. Telescoping in-out

Safety Features

Overload audio warning Over hoist audio warning

Hose failure protection lock valve

Safety brake on hoist

Jack safety guard -heavy duty

Rugged Bumper - heavy duty

Standard Accessories

All weather wide view cabin Tool Box fabricated on A Frame Front and rear Work Light

Reflectors

Tool Kit

Seats for slingers in the Cabin

Optional Accessories

Fly jib

Spare wheel assembly

Spark arrestor

Extra hook

The information in this brochure is intended to be of general nature only, we reserve the right to change the specifications without notice. illustration may include optional equipment. All weight and dimensions are within ±10%



Dealer Network in India & Abroad

PRODUCT SUPPORT

Omega construction equipment is one of the most reputed engineering organization of India. Over the years, Omega has developed a strong and dedicated dealer network across the country supported by experienced service engineers. Omega through innovative products of quality, comfort and performance is trying to create a better platform in the construction engineering.





INDIA: JAMMU, MANDI, CHANDIGARH, LUDHIANA, JAIPUR, DELHI, FARIDABAD, JODHPUR, LUCKNOW, BHOPAL, GUWAHATI, SINGRAULI, AHMEDABAD, BHAVNAGAR, BARODA, JABALPUR, SURAT, INDORE, BHILWARA, CUTTACK, KOLKATA, ASSAM, ORISSA, BHUBANESHWAR, MUMBAI, VIZAG, PUNE, SECUNDERABAD, CHENNAI, BANGALORE, COCHIN OVERSEAS: UAE, SRILANKA, BANGLADESH

MEGA CONSTRUCTION EQUIPMENT PVT. LTD.

Plot No: 262-M, Sector -24, Faridabad - 121005, INDIA

Ph. 91-129-4296800, Fax.: 91-129-4066707

E-mail.: info@omega.org.in, Web.: www.omega.org.in

